

2019 Product Guide

Office Products & Equipment








About Dahle

Engineered and developed in Germany, the Dahle name is synonymous with quality and innovation. Dahle offers a complete range of cutting, art, and office products that exceed even the most serious demands for performance. All products are factory tested before release to ensure complete customer satisfaction. Using the strictest standards for quality and safety, each cutting edge is precision ground to provide the cleanest cut possible. Our alignment guides are carefully squared by hand to provide the accuracy our customers have come to expect from Dahle.

Whether you are trimming a single sheet of paper or a stack of 700, Dahle paper cutters will give you the results you desire. These precision trimmers have the ability to shave the tiniest sliver from your paper. Results of this caliber are made possible from over 88 years of experience.








ODAHLE

Rolling Trimmers

Dahle rolling trimmers are designed for safety and accuracy. They feature a ground, self-sharpening rotary blade that cuts in either direction. It's this sharpening action that helps the trimmer maintain a perfectly

| Personal | | |
|----------|-------|----------|
| Model | Cut | Capacity |
| 507 | 12 ½" | 7 Sheets |
| 508 | 18" | 7 Sheets |

honed edge, and produce a clean, burr-free cut. An automatic clamp and carefully screened guides ensure accuracy.



| Premium | | | <u> </u> |
|---------|---------|-----------|----------|
| Model | Cut | Capacity | Stand |
| 440 | 14 1/8" | 30 Sheets | |
| 442 | 20" | 30 Sheets | |
| 444 | 26 3⁄8" | 25 Sheets | |
| 446 | 36 1/8" | 22 Sheets | #796 |
| 448 | 51 1/8" | 20 Sheets | #798 |
| 472 | 72" | 12 Sheets | #799 |

Large Format Rolling Trimmers

Perfect for larger applications, these heavy duty trimmers include a sturdy metal stand and paper catch. They feature a ground, self-sharpening cutting blade that cuts in either direction. The compact stand provides the perfect height for trimming. Premium Series trimmers will cut mat board.

| | Profe | niee | J | | |
|--------------------------|-------|------|---------|-----------|----------|
| Model Cut Capacity Stand | | | 37 ¾" | 14 Sheets | Included |
| · · · | 558 | S | 51 1/8" | 12 Sheets | Included |


| remium | J | | | |
|--------|---------|-----------|----------|--|
| Model | Cut | Capacity | Stand | |
| 446 S | 36 1/8" | 22 Sheets | Included | |
| 448 S | 51 ½" | 20 Sheets | Included | |
| 472 S | 72" | 12 Sheets | Included | |


Guillotines

Dahle Guillotines offer innovative safety features that include either a hand guard or a rotary safety shield. Pro and Premium models feature a ground, self-sharpening

| | T | ~ |
|----------------------|-----|-----------|
| Vantage [®] | | |
| Model | Cut | Capacity |
| 12e | 12" | 15 Sheets |
| 15e | 15" | 15 Sheets |
| 18e | 18" | 15 Sheets |


blade that produces a clean, burr-free cut. An easily adjustable backstop saves time and ensures accuracy during repetitive cutting.





Large Format Guillotines

Large Format Guillotines are perfect for oversize applications. They feature a ground, self-sharpening blade for precision and an acrylic safety shield. The trimmer's integrated stand ensures optimal cutting height. They're perfect for trimming paper, cardstock, and matboard. An optional laser guide guarantees accuracy.




Pr


Stack Cutters

Professional Stack Cutters are designed for safe, easy cutting of large volumes of paper. They feature a machine ground blade for extreme accuracy and protective guards to keep fingers safe. The cutter's carefully

| | | | _ |
|-------|-------|------------|-------|
| Model | Cut | Capacity | Stand |
| 842 | 16 %" | 200 Sheets | #712 |

engineered paper clamp ensures even pressure and prevents paper shift. Cutters are shown on optional stand which ensures proper trimming height.






p3

Scissors

Dahle Vantage[®] Scissors are lightweight and versatile for many applications. They feature machine ground, stainless steel blades that resist rust, and contoured handles to reduce pressure points. These scissors are great for trimming paper, photo paper, and cardstock.

| | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
|------------------------------|---|
| antano [®] Scissore | |



| 1.1 C | |
|-------|----------------|
| | Comfort - Grip |

Vantage[®] Comfort-Grip Scissors

| Model | Size |
|-------|------|
| 40025 | 5" |
| 40026 | 6" |
| 40028 | 8" |
| | |

Sharpeners

Dahle offers many sharpening solutions to ensure you're ready when creativity strikes. These sharpeners are perfect for graphite, color, and oversize wax pencils. Rotary sharpeners feature an Automatic



Lead Pointers - for 2mm leads

| Model | Description |
|-------|------------------------|
| 53484 | Compact Lead Pointer |
| 301 | Precision Lead Pointer |

Cutting System for convenience, and a point adjuster to prevent over-sharpening.



| 53459 | | | | • |
|-------|-------|-------|-------|-------|
| 53485 | 53461 | 53463 | 53465 | 53460 |

Rotary Sharpeners

| Model | Description |
|-------|---------------------------|
| 53459 | Metal Wedge Sharpener |
| 53485 | Metal Double Hole Wedge |
| 53461 | Canister Sharpener |
| 53463 | Canister Sharpener |
| 53465 | Double Hole Canister |
| 53460 | Chubby Canister Sharpener |
| 53460 | Chubby Canister Sharpener |

Vantage[®] Cutting Mats

Protecting your work surface is the function of a cutting mat, but there's a lot more to Dahle's Vantage^{*} Self-Healing Mats.

| | Black Mats | | |
|----------|------------|-----------|-----------------------|
| | Model | Size | |
| | 10670 | 9" x 12" | |
| T | 10671 | 12" x 18" | |
| \frown | 10672 | 18" x 24" | $\times_{\mathbf{x}}$ |
| | 10673 | 24" x 36" | |
| D | 10674 | 36" x 48" | |

These mats are self-healing and constructed using 5 layers of PVC plastic. It's this specialized formation of plastic that allows

| Blue Mats | | |
|-----------|-----------|--|
| Model | Size | |
| 10690 | 9" x 12" | |
| 10691 | 12" x 18" | |
| 10692 | 18" x 24" | |
| 10693 | 24" x 36" | |
| 10694 | 36" x 48" | |

cuts to just disappear— which greatly prolongs the life of the mat.

| Clear Mats | |
|------------|-----------|
| Model | Size |
| 10680 | 9" x 12" |
| 10681 | 12" x 18" |
| 10682 | 18" x 24" |
| 10683 | 24" x 36" |
| 10684 | 36" x 48" |

Standard Clinch Staplers

The compact Novus B4 and the larger B5 feature a steel driven stapling mechanism that provides superior performance and reduces jams. These staplers produce a standard clinch, temporary pin, or tack, and have a max capacity of up to 40 sheets.

| Novus E | 34 | | |
|---------|--------|--------------------------|--|
| Color | Depth | Dimensions | |
| Black | 2 5/8" | 5 3/8" x 1 1/2" x 2 1/2" | |
| Blue | 2 5/8" | 5 3%" x 1 ½" x 2 ½" | |
| Gray | 2 5%" | 5 3/8" x 1 1/2" x 2 1/2" | |

| Novus B5 | | |
|----------|--------|------------------|
| Color | Depth | Dimensions |
| Black | 4 1⁄8" | 7" x 1 ½" x 2 ½" |
| Blue | 4 1/8" | 7" x 1 ½" x 2 ½" |
| Gray | 4 1/8" | 7" x 1 ½" x 2 ½" |

Flat Clinch Staplers

Novus Flat Clinch Staplers press the staple legs flat for up to 30% more filing space. Both sizes feature a steel driven stapling mechanism that provides superior performance and reduces jams. These staplers produce a flat clinch, temporary pin, or tack, and have a max capacity of up to 50 sheets.

| Novus B4fc | | |
|------------|--------|-------------------|
| Color | Depth | Dimensions |
| Black | 2 3⁄8" | 5 5%" x 1 ½" x 3" |
| Blue | 2 3⁄8" | 5 %" x 1 ½" x 3" |
| Gray | 2 3⁄8" | 5 5%" x 1 ½" x 3" |

| Novus B5fc | | - |
|------------|--------|----------------------|
| Color | Depth | Dimensions |
| Black | 3 5⁄8" | 7 3/8" x 1 5/8" x 3" |
| Blue | 3 5⁄8" | 7 3/8" x 1 5/8" x 3" |
| Gray | 3 5/8" | 7 3/8" x 1 5/8" x 3" |

B8FC Power-On-Demand Stapler

The innovative Novus B8_{FC} incorporates the industry's only Power-on-Demand (POD) technology that requires 70% less effort to staple. Just lift the top lever and experience the benefits of stapling up to 50 sheets of

paper from across your desk! The B8FC produces a flat clinch, temporary pin, or tack to provide up to 30% more filing space.




Blac

B17 Long Arm Stapler

The Novus B17 is a unique stapler with an 11 ³/₄" reach. It features an adjustable depth guide to ensure you staple at the desired location each and every time. With the

added ability of temporary pinning, the B17 is ideal for stapling across large documents, binding booklets, and everyday stapling. Max capacity up to 40 sheets.



Heavy Duty Staplers

Designed and developed in Germany, these rugged staplers are capable of continually stapling large quantities of paper with minimal effort. They feature an innovative Anti-Blocking System (ABS) which prevents the possibility of a staple jam. A depth guide and Automatic Bypass System is standard on all models.

| | B40 | B50 | | B52 | | B54 B56 |
|-------|---------------|--------|----------|--------|----------|----------------------|
| Model | Capacity | Throat | Anti-Jam | Bypass | Warranty | Dimensions |
| B40 | 100 Sheets | 2 1⁄8" | • | ٠ | 10 Years | 10 ½" x 2 ¾" x 5 ¾" |
| B50 | 140 Sheets | 3" | • | ٠ | 25 Years | 14" x 4 ½" x 6 ¾" |
| B52 | 20-170 Sheets | 4 1⁄4" | • | • | 25 Years | 12" x 4" x 10 %" |
| B54 | 20-170 Sheets | 9 %" | • | • | 25 Years | 17 ¾" x 4" x 11" |
| B56 | 20-210 Sheets | 3" | • | • | 25 Years | 14 ¼" x 3 ½" x 10 ¼" |

Premium Staples

| Model | Length | Quantity | | Model | Length | Quantity | Model | Length | Quantity |
|------------|--------|----------|---|-------------|--------|----------|-------------|--------|----------|
| 24/6 Super | 6mm | 1000 | 2 | 23/10 Super | 10mm | 1000 | 23/17 Super | 17mm | 1000 |
| 24/8 Super | 8mm | 1000 | | 23/13 Super | 13mm | 1000 | 23/20 Super | 20mm | 1000 |
| 23/8 Super | 8mm | 1000 | | 23/15 Super | 15mm | 1000 | 23/24 Super | 24mm | 1000 |





Document Destruction

Secure information should never fall into the wrong hands. Dahle paper shredders are your best line of defense in preventing unauthorized access to secure information. Whether it's personal credit card statements or Top Secret government documents, Dahle has a shredder that will meet your needs.

Features- With Dahle, you can choose the features that matter most to you. Whether you prefer the ease of oil-free shredding, or the relief from fine dust filtration, Dahle has you covered. Rest assured that no matter what you choose, all Dahle shredders are German engineered and guaranteed to provide many years of trouble free operation.

DAHLE CleanTEC® Air Filtration



- · Traps harmful fine dust · Improves air quality at work
- · Provides a healthier environment

Automatic EvenFlow Lubricator



- · Provides slow, continuous oil · Reduces heat & friction
- · Maintains peak performance

German Engineered



- · Over 88 years of experience · Latest technology & design
- · Trouble free guarantee

Oil-Free Shredding



- · Maintenance free / hassle-free · Maintains peak performance
- · Environmentally friendly

SmartPower Energy Management



- · Reduces energy consumption · Saves on electrical costs
- · Environmentally friendly

Automatic Jam Protection



- · Eliminates frustrating jams
- \cdot No shredder down time
- · Prevents damage to shredder



PAPER & MULTIMEDIA SHREDDERS



Deskside

1 User

Waste Volumes: 4-9 gal.

Security Level: P-4











5+ Users Waste Volume: 38-45 gal. Security Level: P-2 to P-7



High Capacity

5+ Users Waste Volume: 50 gal. Security Level: P-2 to P-7

Small Office 1-3 Users Waste Volume: 8-23 gal. Security Level: P-4 to P-7

Office 3-5 Users Waste Volume: 30-38 gal. Security Level: P-2 to P-7

| Model | Security Level | Capacity #20 / #16 | Shred Size | Waste Volume | Feed Width | Speed feet/min | Decibel Level | Specia Oil-Free | l Features CleanTEC® | Jam | Features Smart on Power | | Staples /Clips | CDs DVDs | Warranty Shredder /Cylinders | Dimensions length x width x height | Weight |
|---------|-------------------|------------------------------|--|--------------------|---------------|--------------------------|------------------|---------------------------|-------------------------|-----|-------------------------------|---|-------------------|-------------|--|--|---------|
| Desks | side Sl | hreddei | r S (1 user) | | | | | | | | | | | | | | |
| 22022 | P-4 | 7/9 | ³ /16" x 1 ³ /16" | 4 gal. | 8 ¾" | 10 f/m | 59 dB | Oil-Free | | • | | | • | | 1 year / 5 years | 7" x 12 ½" x 15 ½" | 8 lbs |
| 22092 | P-4 | 10 / 12 | ³ /16" x 1 ³ /8" | 4 gal. | 8 ¾" | 14 f/m | 62 dB | Oil-Free | | ٠ | | | • | • | 1 year / 5 years | 7 ¾" x 12 ¼" x 16 ½" | 14 lbs |
| 22312 | P-4 | 15 / 17 | ³ /16" x 1 ⁷ /16" | 7 gal. | 8 ¾" | 9 f/m | 53 dB | Oil-Free | | • | | | • | • | 1 year / 5 years | 11" x 14 ¼" x 21" | 24 lbs |
| 22318 | P-4 | 16/18 | ³ /16" x 1 ¹ /8" | 9 gal. | 8 ¾" | 11 f/m | 52 dB | Oil-Free | | • | | | ٠ | • | 1 year / 5 years | 13" x 15 ½" x 25 ½" | 32 lbs |
| Small | Office | e Shred | ders (1-3 us | ers) | | | | | | | | | | | | | |
| 50114 | P-4 | 10 / 12 | 1/8" x 1 %16" | 8 gal. | 9 ½" | 22 f/m | 44 dB | Oil-Free | | • | • | | • | | 2 years / Lifetime | 13 ¾" x 17" x 24 ¾" | 46 lbs |
| 50214 | P-4 | 10 / 12 | 1⁄8" x 1 9⁄16" | 11 gal. | 9 ½" | 22 f/m | 46 dB | Oil-Free | | • | • | | • | | 2 years / Lifetime | 13 ¾" x 17" x 28" | 50 lbs |
| 51214 | P-4 | 10 / 12 | 1⁄8" x 1 9⁄16" | 11 gal. | 9 ½" | 22 f/m | 46 dB | Oil-Free | CleanTEC* | • | • | | • | | 2 years / Lifetime | 13 ¾" x 17" x 28" | 56 lbs |
| 50310 | P-3 | 20 / 22 | ³ /16" x 1 %16" | 23 gal. | 10 ¼" | 20 f/m | 46 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 34 ¼" | 95 lbs |
| 50314 | P-4 | 14/16 | 1⁄8" x 1 %16" | 23 gal. | 10 ¼" | 20 f/m | 46 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 34 ¼" | 89 lbs |
| 51314 | P-4 | 16/18 | 1⁄8" x 1 %16" | 23 gal. | 10 ¼" | 18 f/m | 46 dB | Oil-Free | CleanTEC* | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 34 ¼" | 94 lbs |
| 51322 | P-5 | 12/14 | ¹ /13" X ⁹ /16" | 23 gal. | 10 ¼" | 18 f/m | 46 dB | | CleanTEC* | • | • | • | • | | 2 years / Lifetime | 17 ¼" x 21 ½" x 34 ¼" | 95 lbs |
| 40330 | P-6 | 6/8 | ¹ /32" X ⁷ /16" | 23 gal. | 10 ¼" | 12 f/m | 47 dB | | | • | • | • | | | 2 years / 1 year | 17 ¼" x 21 ½" x 34 ¼" | 94 lbs |
| Office | Shror | ders (3 | Eucore) | | | | | | | | | | | | | | |
| 40406 | P-2 | 30 / 34 | -J users/ | 30 gal. | 10 ¼" | 22 f/m | 51 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 36 ¾" | 97 lbs |
| 50410 | P-3 | 20 / 22 | ³ /16" x 1 %16" | 30 gal. | 10 1/4" | 20 f/m | 52 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 36 ¾" | 98 lbs |
| 50414 | P-4 | 16/18 | ¹ / ₈ " x 1 ⁹ / ₁₆ " | 30 gal. | 10 1/4" | 20 f/m | 46 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 36 ¾" | 95 lbs |
| 51414 | P-4 | 18 / 20 | ¹ /8" x 1 %16" | 30 gal. | 10 1/4" | 18 f/m | 52 dB | Oil-Free | CleanTEC* | • | • | | • | • | 2 years / Lifetime | 17 ¹ / ₄ " x 21 ¹ / ₂ " x 36 ³ / ₄ " | 100 lbs |
| 51422 | P-5 | 13 / 15 | ¹ /13" X ⁹ /16" | 30 gal. | 10 1/4" | 18 f/m | 52 dB | | CleanTEC* | | | • | | • | 2 years / Lifetime | 17 ¼" x 21 ½" x 36 ¾" | 110 lbs |
| 40430 | P-6 | 9/11 | ¹ / ₃₂ " x ⁷ / ₁₆ " | 30 gal. | 10 1/4" | 20 f/m | 52 dB | | CRAITEC | • | • | • | • | | 2 years / 1 year | 17 ¹ / ₄ " x 21 ¹ / ₂ " x 36 ³ / ₄ " | 105 lbs |
| 50464 | P-4 | 24/26 | ¹ /8" x 1 ⁹ /16" | - | 10 /4 | 20 f/m | 52 dB | Oil-Free | | l | | | | | | 17 ¹ / ₄ " x 21 ¹ / ₂ " x 36 ³ / ₄ " | 105 lbs |
| 51464 | P-4 P-4 | 24/26 | ³ / ₈ x 1 ³ / ₁₆ | 30 gal. | 12 | 20 f/m 18 f/m | 52 dB | Oil-Free | CleanTEC* | • | • | | • | • | 2 years / Lifetime 2 years / Lifetime | 17 ¹ / ₄ x 21 ¹ / ₂ x 36 ³ / ₄ 17 ¹ / ₄ " x 21 ¹ / ₂ " x 36 ³ / ₄ " | 119 lbs |
| 51404 | P-5 | 16/18 | ⁷⁸ X 1 ⁷ 16 | 30 gal. 30 gal. | 12" | 18 f/m | 52 dB | Oll-Filee | CleanTEC* | • | • | • | • | • | 2 years / Lifetime | 17 ¹ / ₄ x 21 ¹ / ₂ x 36 ³ / ₄ 17 ¹ / ₄ x 21 ¹ / ₂ x 36 ³ / ₄ | 138 lbs |
| | | | | - | 12 | 10 1/11 | 55 UD | | | • | • | • | • | • | 2 years / Elicunic | 17 A X 21 /2 X 30 A | 150 163 |
| | | | ders (5+ use | | 10" | 16.0 | 50 ID | Oil Error | | | | | | | 2 17:5 .: | 20" 20" 241/" | 14411. |
| 50514 | P-4 | 26/28 | ¹ / ₈ " x 1 % ₁₆ " | 38 gal. | 12" | 16 f/m | 52 dB | Oil-Free | CI TECS | • | • | | • | • | 2 years / Lifetime | 20" x 29" x 34 ½" | 144 lbs |
| 51514 | P-4 | 26/28 | ¹ / ₈ " x 1 %16" | 38 gal. | 12" | 18 f/m | 52 dB | Oil-Free | CleanTEC* | • | • | | • | • | 2 years / Lifetime | 20" x 29" x 34 ½" | 143 lbs |
| 51522 | P-5 | 16/18 | ¹ /13" X ⁹ /16" | 38 gal. | 12" | 18 f/m | 53 dB | | CleanTEC* | • | • | • | • | • | 2 years / Lifetime | 20" x 29" x 34 ½" | 154 lbs |
| 40530 | P-6 | 10/12 | ¹ / ₃₂ " x ⁷ / ₁₆ " | 38 gal. | 12" | 15 f/m | 50 dB | 0.1 5 | | • | • | • | | | 2 years / 1 year | 20" x 29" x 34 ½" | 146 lbs |
| 40606 | P-2 | 36 / 40 | 1/4" | 45 gal. | 16" | 26 f/m | 50 dB | Oil-Free | | • | • | | • | • | 2 years / Lifetime | 20" x 29" x 38" | 199 lbs |
| 50564 | P-4 | 20 / 22 | ¹ / ₈ " x 1 % ₁₆ " | 45 gal. | 16" | 30 f/m | 54 dB | Oil-Free | 01 777.03 | ٠ | • | | • | • | 2 years / Lifetime | 20" x 29" x 38" | 155 lbs |
| 51564 | P-4 | 22/24 | ¹ / ₈ " x 1 %16" | 45 gal. | 16" | 20 f/m | 52 dB | Oil-Free | CleanTEC* | • | • | | • | • | 2 years / Lifetime | 20" x 29" x 38" | 158 lbs |
| 51572 | P-5 | 14/16 | ¹ /13" X ⁹ /16" | 45 gal. | 16" | 20 f/m | 53 dB | | CleanTEC* | • | • | • | • | • | 2 years / Lifetime | 20" x 29" x 38" | 141 lbs |
| High (| Capac | ity Shre | dders (5+ i | users) | | | | | | | | | | | | | |
| 20390 | P-2 | 55 / 60 | 1⁄4" | 50 gal. | 16" | 22 f/m | 60 dB | Oil-Free | | • | | | • | • | 2 years / Lifetime | 24 ½" x 27 ½" x 46 ¾" | 337 lbs |
| 20396 | P-4 | 38 / 43 | 1⁄8" x 1 %16" | 50 gal. | 16" | 22 f/m | 64 dB | | | ٠ | | ٠ | ٠ | • | 2 years / Lifetime | 24 ½" x 29 ½" x 46 ¾" | 359 lbs |
| 20392 | P-5 | 26 / 28 | ¹ /13" X ⁹ /16" | 50 gal. | 16" | 22 f/m | 60 db | | | • | | • | • | • | 2 years / Lifetime | $24{}^{1}\!\!/_{2}" \ge 29{}^{1}\!\!/_{2}" \ge 46{}^{3}\!\!/_{4}"$ | 359 lbs |
| High \$ | Securi | ty Shre | dders (For | Governm | ent Use) | | | | | | | | | | | | |
| 20434ds | | 4/6 | 1mm x 4.7mm | 6 gal. | 9 ½" | 13 f/m | 50 dB | | | ٠ | • | • | | | 2 years / 1 year | 14" x 16" x 18" | 66 lbs |
| 40334 | P-7 | 5/7 | 1mm x 4.7mm | 23 gal. | 10 ¼" | 22 f/m | 50 dB | | | • | • | • | | | 2 years / 1 year | 18 ¼" x 21 ½" x 34 ¼" | 94 lbs |
| 41334 | P-7 | 5/7 | 1mm x 4.7mm | 23 gal. | 10 ¼" | 22 f/m | 50 dB | | CleanTEC* | • | • | • | | | 2 years / 1 year | 18 ¼" x 21 ½" x 34 ¼" | 94 lbs |
| 40434 | P-7 | 8 / 10 | 1mm x 4.7mm | 30 gal. | 10 ¼" | 22 f/m | 52 dB | | | • | • | • | | | 2 years / 1 year | 18 ¼" x 21 ½" x 36 ¼" | 105 lbs |
| 41434 | P-7 | 8 / 10 | 1mm x 4.7mm | 30 gal. | 10 ¼" | 22 f/m | 52 dB | | CleanTEC* | • | • | • | | | 2 years / 1 year | 18 ¼" x 21 ½" x 36 ¼" | 102 lbs |
| 40534 | P-7 | 8 / 10 | 1mm x 4.7mm | 38 gal. | 12" | 23 f/m | 52 dB | | | • | • | • | | | 2 years / 1 year | 21" x 29" x 34 ½" | 146 lbs |
| 41534 | P-7 | 8 / 10 | 1mm x 4.7mm | 38 gal. | 12" | 23 f/m | 52 dB | | CleanTEC* | • | • | • | | | 2 years / 1 year | 21" x 29" x 34 ½" | 146 lbs |
| 20394 | P-7 | 9/11 | 1mm x 4.7mm | 50 gal. | 16" | 35 f/m | 56 dB | | | • | | • | | | 2 years / 1 year | 24 ½" x 29 ½" x 46 ¾" | 245 lbs |
| | | | | | | | | | *01 | | | | 1. 1 | | | quality and sufficien | |

*Sheet capacity will vary depending on paper size, weight, quality, and sufficient power

Shredder Supplies

| | | ſ | Nodel | Description |
|-------|---------------------------------------|---|-------|---|
| Model | Description | 1 | 20723 | Shred Bags (200) - 8 gal. shredders |
| 20710 | DAHLE CleanTEC [®] Filter | 1 | 20724 | Shred Bags (100) - 11 gal. shredders |
| 20721 | Dahle Shredder Oil - 6-12 oz. bottles | : | 20725 | Shred Bags (100) - 23 & 33 gal. shredders |
| 20722 | Dahle Shredder Oil - 1-4 gal. bottles | : | 20726 | Shred Bags (100) - 38+ gal. shredders |



ODAHLE

The DAHLE Advantage

Command Dial



Controls all shredder functions including continuous run and reverse

Automatic Jam Protection



The motor automatically stops and reverses in the event of an overfeed

Door Open Interlock



Prevents the shredder from running when the door is open

Thermally Protected Motor



Prevents the motor from overheating during extended use

Rubber Shock Mounts

5 Suspends the cutting head to isolate noise and reduce vibration

Chain Driven Motor



Provides continuous power and slip-free performance to the cutting cylinders



Gusseted Shred Bag

7 f

Expanding folds and 3 mil. strength allow for maximum shred capacity

Wooden Cabinet w/ Casters



Attractive, modern design blends with any office decor or workplace

SmartPower Energy Management



Automatically reduces power consumption when idle, and saves money

CleanTEC® Fine Dust Filter



Eliminates up to 98% fine dust and provides a healthier workplace

*Some components not available on certain models



Dahle North America, Inc. 49 Vose Farm Road Peterborough, NH 03458 (800) 995.1379 / www.dahle.com



Authorized Distributor



CRD Distribution Inc Phone: (877) 974-3678 www.crddistribution.ca

